Lambda

KL 1500 HAL Light Source

for stereo microscopy





The KL 1500 HAL is a color-neutral professional halogen light source for fiber optic illumination. With the full 150-Watt halogen spectrum of CRI 100, it is designed to offer optimum performance for color-critical measurements.

Features:

- High frequency illumination of 20 kHz
- Sensor interlock at the light guide socket
- LCD Display to monitor color temperature and light intensity
- Swing-in optics for homogenization of light output
- Two-position filter slider

Advantages:

- Maximum lighting intensity of 600 lm
- Color rendering index of 100 for excellent performance
- Continuous dimming from 0-100 %

Technical Specifications:

General		
Part No.		150.700
Dimensions (W x D x H)	(mm) / (inch)	200 x 286 x 147/7.9" x 11.3" x 5.8"
Weight	(kg)	Approx. 4.2
Cooling		Ultra low-noise fan
Electrical		
Operating voltage, frequency		100 − 240 V ~, 50 − 60 Hz
Input voltage	(V)	100 – 240 V
Power consumption	(VA)	180
Protection class		I
Overvoltage category		II
Lamp type		Halogen reflector lamp type EFR
Lamp lifetime in ECO Mode	(h)	1,500
Lamp voltage rating	(V)	15
Lamp power rating	(W)	150
Light Output		
Luminous flux	(Im)	600 ¹
Color temperature	(K)	2.000 - 3.400
Active light guide diameter	(mm) / (inch)	Max. 9/max. 0.35"
Certification marks		
Marking		C€
Approvals		c∰ _{us}
EMC-class		В

 $^{^{1}}$ at the output of SCHOTT fiber optic light guide, 1-arm, flexible, Ø 9 mm active, length 1000 mm

We provide a variety of accessories for our KL Series. For details please refer to our system diagrams or according datasheets.


Accessories:


Replacement lamp	Part No.		
Halogen bulb 15v / 150W	153.000		
Light guide adapter			
For Volpi and Photonic	158.320		
Insert filter Ø 28 mm			
Blue	258.302		
Red	258.303		
Green	258.304		
Yellow	258.305		
Daylight	258.306		
Power cord 1.8 m			
EU Plug: IEC-C13 to CEE 7/7	400.051		
US Plug: IEC-C13 to NEMA 5-15	400.052		
UK Plug: IEC-C13 to BS 1363	400.053		
Swiss Plug: IEC-C13 to SEV1011	400.054		


Note: country specific power cord must be ordered separately!




Dimensions









Pictures are provided for illustration purposes only, and may not provide an accurate reflection of the actual product.

Distribution in the UK & Ireland



Characterisation, Measurement & Analysis Lambda Photometrics Limited Lambda House Batford Mill Harpenden Herts AL5 5BZ United Kingdom

E: info@lambdaphoto.co.uk W: www.lambdaphoto.co.uk T: +44 (0)1582 764334 F: +44 (0)1582 712084

