


IMPRESS 213

Real deep UV
 TEM₀₀ beam profile
 Q-switched solid-state laser
 Wavelength 213 nm



General description

The IMPRESS 213 system is a high repetition rate solid-state diode pumped Q-switched laser with an emission wavelength of 213 nm. The Gaussian TEM₀₀-mode laser beam is the well-established workhorse for fiber Bragg grating (FBG) production. Other applications are the marking of diamonds and sapphires or similar materials. Due to the very short wavelength of the laser radiation, feature sizes below 1 μm can be accomplished in direct laser writing.

Compared to Ar-Ion lasers, the IMPRESS 213 is a real energy saver and can be easily temperature-controlled by a closed cooling system. In combination with the space saving footprint, operation costs are kept at a minimum.

Applications

- Fiber Bragg grating fabrication
- Diamond marking
- Wavelength sensitive processes
- Stereo-lithography
- Semi-conductor inspection
- Replacement of freq. doubled Ar-Ion lasers
- Photoluminescence measurements


Product specifications

Model	IMPRESS 213
Wavelength	213 nm
Average power	150 mW
Pulse duration	6-8 ns
Energy per pulse	15 μJ
Repetition rate	1-30 kHz
M ²	< 1.6

* Data at 15 kHz pulse repetition rate.
 Specifications are subject to change
 without notice due to product improvement.

Outstanding in FBG writing


- Extremely fast writing
- No Hydrogen loading necessary




Optional

- Graphical user interface
- LabVIEW libraries
- CDRH compliance shutter
- High reflective mirrors for 213 nm


Typical performance



Typical beam profile



Dimensions laser head



System dimensions (L x W x H), weight

Laser head	395 x 320 x 96 mm ³	17.8 kg
Power supply	447 x 440 x 134 mm ³	18.0 kg
Chiller	447 x 440 x 134 mm ³	12.0 kg

Electrical characteristics

Operating voltage	85-264 VAC
Frequency	47-63 Hz
Power consumption	300 W typ

Visible and/or invisible laser radiation. Avoid eye or skin exposure to direct or scattered radiation.
Class 4 laser (IEC 60825-1)



Distribution in the UK & Ireland



**Characterisation,
Measurement &
Analysis**

Lambda Photometrics Limited
Lambda House Batford Mill
Harpenden Herts AL5 5BZ
United Kingdom
E: info@lambdaphoto.co.uk
W: www.lambdaphoto.co.uk
T: +44 (0)1582 764334
F: +44 (0)1582 712084