




NFPKit

Datasheet

A Rapid Handheld Live Tracking Probe Scanning Solution



Live tracking provides a faster, easier, and more reliable method to get these results. Using an overhead webcam and probe markers, the EMViewer software will detect the type of probe and point of measurement automatically, allowing design engineers to see results quickly with minimal setup time.

Y.I.C. Technologies **NFPKit** is designed for measuring near field radiated emissions for EMC/EMI pre-compliance testing. The probes can be used to locate, identify, measure, and characterize potential sources of electromagnetic radiation and interference radiated from traces or components of electronic PCBs, assemblies, or products. The probe output is proportional to the magnetic field (H) strength present at the probe location.



A compatible Spectrum Analyzer with 50Ω input is required and the probes can also be used as handheld standalone probes or mounted on Y.I.C. Technologies **EMProbe** robotic arm for high resolution scans.

Features

Fully integrate with EMViewer 2.0	Spectral scan, spatial scan and reporting
Live real-time probe position tracking	Continuous real-time or sub-second single scan for entire scan area Dependent on spectrum analyzer performance.
Correction Files	Normalization and correction when using the EMViewer Software. Flat response within the range of operation
Probe Design	Slim Design and Protective Coating
Supported Spectrum Analyzers	https://yictechnologies.com/compatible-devices/

Content

Handheld Probe Set	<p>Set of 5 Probes</p> <p>Electric and Magnetic Probes</p> <p>HXY 10A02: 10 MHz – 300 MHz</p> <p>HXY 20A02: 100 MHz – 1.4 GHz</p> <p>HZ 40A02: 1 GHz – 14 GHz</p> <p>HXY 60A01: 1 GHz – 13 GHz</p> <p>E 00A02: Full Range</p>	
Camera	USB Mini Camera, 5-50mm Lens, 10X Optical Zoom	
Support Arm	11 Inch Adjustable Support Arm with Clamp	



Applications

EMC/EMI Pre-Compliance Magnetic Near-Field Measurements

- Magnetic Near Field mapping
- Magnetic Immunity Testing

Probe Response Curves

Y.I.C. Technologies **NFPSet**

Set of 5 Probes

Electric and Magnetic Probes


HXY 10A02: 10 MHz – 300 MHz

HXY 20A02: 100 MHz – 1.4 GHz

HZ 40A02: 1 GHz – 14 GHz

HXY 60A01: 1 GHz – 13 GHz

E 00A02: 1.6 GHz – 18 GHz



Distribution in the UK & Ireland



**Characterisation,
Measurement &
Analysis**

Lambda Photometrics Limited
Lambda House Batford Mill
Harpenden Herts AL5 5BZ
United Kingdom

E: info@lambdaphoto.co.uk
W: www.lambdaphoto.co.uk
T: +44 (0)1582 764334
F: +44 (0)1582 712084